



Minitab<sup>®</sup> 19

## Installation Guide

Minitab®, Companion by Minitab®, Salford Predictive Modeler®, SPM® and the Minitab® logo are all registered trademarks of Minitab, LLC, in the United States and other countries. Additional trademarks of Minitab, LLC can be found at [www.minitab.com](http://www.minitab.com). All other marks referenced remain the property of their respective owners.

© 2019 Minitab, LLC. All rights reserved.

# Contents

<b>Basic Installation .....</b>	<b>4</b>
Step 1: Designate authorized users of multi-user licensing web pages .....	4
Step 2: Determine installation configuration.....	4
Step 3: Create license file(s).....	5
Step 4: Obtain software.....	5
Step 5: Install software.....	6
<b>Installation Configurations.....</b>	<b>7</b>
Multi-user installation.....	7
Configuration options.....	7
Minitab License Manager.....	8
<b>License Files.....</b>	<b>9</b>
Using license files.....	9
Adding a second product or additional users to your license file.....	10
Renewing licenses.....	12
<b>Advanced Topics.....</b>	<b>13</b>
Installation options.....	13
Checking for updates.....	13
Changing license types.....	13
License manager utility.....	14
Specifying ports.....	14
Options file.....	15
Command line installation.....	16
Identical settings on multiple computers.....	21
<b>Troubleshooting.....</b>	<b>23</b>
<b>Index.....</b>	<b>28</b>

# Basic Installation

This section provides the basic steps in a typical installation of Minitab 19. For instructions on advanced installation options, see [Installation options](#) on page 13.

---

**Note** Minitab 19 is available in 64-bit and 32-bit versions. When installing Minitab, use the syntax specific to the operating system. For details, see [Command line installation](#) on page 16 and refer to "Required syntax".

---

To install Minitab 19, follow the steps below. To renew an existing installation that has reached or is close to reaching its expiration date, see [Renewing licenses](#) on page 12.

1. Designate authorized users of multi-user licensing web pages (optional).
2. Determine installation configuration.
3. Create license files at the multi-user licensing web pages.
4. Obtain software.
5. Install software.

## Step 1: Designate authorized users of multi-user licensing web pages

To access the Minitab multi-user licensing web pages so that you can create the license files for the installation, you must be either the Minitab License Coordinator for your organization or an authorized user.

At the time of purchase, someone from your company was designated as the Minitab License Coordinator. That person has permission to log in to the Minitab multi-user licensing web pages to create license files. In addition, your company can have other authorized users.

If you are not sure whether you're an authorized user, contact your organization's Minitab License Coordinator. Only the License Coordinator can request additional authorized users by contacting a [Minitab sales representative or Minitab Technical Support](#).

## Step 2: Determine installation configuration

All multi-user installations require Minitab License Manager, the software that manages Minitab 19 based on the information in the license file. Minitab License Manager must be installed in a configuration that allows it to communicate with Minitab 19.

You can choose from several different installation configurations to suit your needs. For example, you can install Minitab License Manager on a server in a networked configuration. In a networked configuration, users access the license file on the server; therefore, each client computer does not need to be permanently assigned to a separate license file. Another option is to install Minitab License Manager and Minitab 19 on each client computer in a standalone configuration, which requires a separate license file for each client computer.

The installation configuration you choose affects the number of license files you need to create and the installation procedures that you need to follow. See [Installation Configurations](#) on page 7 for detailed information that will help you to determine the best configuration for your organization.

## Step 3: Create license file(s)

You need at least one license file for installation. To create license files, you use the Minitab multi-user licensing web pages. One license file *per server* is required in a networked installation. One license file *per workstation* is required in a standalone configuration. See [Installation Configurations](#) on page 7 for more information on networked and standalone configurations.

You need the following information to create a license file:

- The maximum number of simultaneous users that will be served by the license. In a standalone configuration, the maximum number of users is 1 for each license. To determine the maximum number of users in a networked configuration, see [Number of license files](#) on page 10.
- The MAC address of each computer that will host a license. This is the computer's physical address. To obtain the address, run the DOS command "ipconfig /all" and record the physical address that appears under Ethernet adapter Local Area Connection. In the example below, the MAC address of the computer is 01-23-45-AB-CD-EF.

### Ethernet adapter Local Area Connection:

```

Connection-specific DNS Suffix.:domain.local
Description.....:Broadcom NetXtreme 57XX Gigabit Controller
Physical Address.....:01-23-45-AB-CD-EF
Dhcp Enabled.....:Yes
Autoconfiguration Enabled.....:Yes
IP Address.....:192.168.1.1
Subnet Mask.....:255.255.255.0
Default Gateway.....:192.168.2.100
DHCP Server.....:192.168.2.100
DNS Server.....:192.168.10.200
Lease Obtained.....:Saturday, December 1, 2018 4:07:19 PM
Lease Expires.....:Tuesday, December 1, 2020 4:07:19 PM

```

For more information on how to obtain a computer's MAC address, see <https://support.minitab.com/installation/frequently-asked-questions/license-fulfillment/locate-my-computers-mac-address/>.

## To create license files

1. Go to <https://it.minitab.com/support/licensing/multi-user/customer-entitlement-summary.aspx>.
2. Log in as an authorized user.
3. Complete the necessary steps to create the license file(s).

## Step 4: Obtain software

All multi-user configurations require both Minitab License Manager and Minitab 19. Download the applications from the Minitab Web site using any Minitab.com account.

## To download software

1. Go to <https://www.minitab.com/downloads/>.
2. Download Minitab License Manager and Minitab 19. The license file is read by Minitab License Manager, the server software that manages the use of Minitab 19 based on the information in the license file.
3. If you plan to mass deploy utilizing a software asset management tool, download the Minitab 19 Mass Deployment Package.

# Step 5: Install software

Install Minitab 19 and Minitab License Manager based on the installation configuration that you determined in step 2. You can install Minitab License Manager on a server in a networked configuration or on each client computer in a standalone configuration.

## System requirements

You can find the latest system requirements for Minitab and the Minitab License Manager at <https://www.minitab.com/products/minitab/system-requirements/>.

## To install in a networked configuration

1. Ensure that you have administrative privileges to install Minitab License Manager on the server and Minitab 19 on each workstation.
2. Ensure that the license file is on the desktop of the server. See [Create License File\(s\)](#) on page 5 for more information.
3. Install Minitab License Manager on the server.
4. Delete the license file that is on the desktop. The installation program creates a copy of the license file in C:\Program Files (x86)\Minitab\License Manager. The Minitab License Manager uses this license file.
5. Install Minitab 19 on each workstation.
  - You need to specify the name of your Minitab License Manager server during installation.
  - Minitab 19 chooses the first available port between 27000 and 27009. If your License Coordinator specified a different port within the license file, check **Specify port number**, and enter that port number.

---

**Note** After you set up a networked configuration, you can use borrowing to allow a portable workstation, such as a laptop, to run Minitab products while it is disconnected from the network. See [Using Minitab products while disconnected from the network](#) on page 7 for more information.

---

## To install in a standalone configuration

1. Ensure that you have administrative privileges to install Minitab License Manager and Minitab 19 on each workstation.
2. Ensure that the license file is on the desktop of the workstation. See [Create License File\(s\)](#) on page 5 for more information.
3. Install Minitab License Manager on each workstation.
4. Delete the license file that is on the desktop. The installation program creates a copy of the license file in C:\Program Files (x86)\Minitab\License Manager. The Minitab License Manager uses this license file.
5. Install Minitab 19 on each workstation.
  - When prompted for the name of the Minitab License Manager server, enter *localhost*.
  - Minitab 19 chooses the first available port between 27000 and 27009.

# Installation Configurations

The previous section explained how to install the multi-user version of Minitab products. This section provides a more in-depth explanation of the client-server model and the possible installation configurations.

## Multi-user installation

The multi-user versions of Minitab products are based on a client-server installation model. Minitab 19 (the client software) is installed on individual workstations. Minitab License Manager (the server software) is installed on a server. Every time the client software is started, it communicates with the server to ensure that a license is available.

Typically, Minitab License Manager is installed on a single server. The client software can be installed on an unlimited number of workstations. Minitab License Manager ensures that the number of concurrent users never exceeds the licensed number of seats.

For example, an organization purchased 100 licenses of Minitab 19 and configured Minitab License Manager to control all 100 licenses. Minitab 19 was installed on 300 workstations. Even though the client software has been installed on 300 workstations, Minitab License Manager will allow only 100 instances of the client software to run concurrently.

When the client software is started, it requests a license from Minitab License Manager. If a license is available, it is sent to the client and the software starts successfully. If a license is not available, an error message is displayed.

## Configuration options

### Networked configuration

To set up a networked configuration, install Minitab License Manager on a server. A license file is requested during the installation process. You need to provide the license file that was created during the procedure detailed in [Basic Installation](#) on page 4 (license files should always be named "minitab.lic"). Minitab License Manager is installed to C:\Program Files (x86)\Minitab\License Manager (by default). The installation program makes a copy of the license file and places it in the installation directory.

The Minitab License Manager installation creates a Windows service called Minitab License Manager. The license manager service starts automatically when it is installed. When the service starts, it checks the Minitab License Manager installation directory for the license file. If the license file is valid, the service starts successfully.

Install the client software, Minitab 19, on as many workstations as necessary. During installation, you need to provide the name of the server on which Minitab License Manager is installed.

### Using Minitab products while disconnected from the network

In a multi-user installation of Minitab, the client software must be able to communicate with the Minitab License Manager server to start. To allow a portable workstation, such as a laptop, to run Minitab products when it is disconnected from the network, Minitab has a utility built into the application that allows you to borrow a license.

For example, you might use Minitab on a laptop when you travel for business. Before leaving, while still connected to your company's network, borrow a license from the Minitab License Manager server. Then you can access Minitab on the laptop when you are disconnected from the network.

To borrow a license:

1. In Minitab, choose **Help > About Minitab**.

2. Click **Borrow License**.
3. In **Borrow Through**, choose a return date on the calendar.
4. Click **Borrow** and then click **OK**.

A borrowed license is returned automatically at the end of the borrowing period. To return a license before the end of the borrowing period, choose **Help > About Minitab** and click **Return License**.

---

**Note** To limit the number of licenses that can be borrowed, use the options file. For an example, see [Options file](#) on page 15.

---

## Standalone configuration

In a standalone configuration, Minitab products do not depend on accessing a network server. Instead, the Minitab License Manager server software is installed on the same workstation as the client software, Minitab 19. Minitab License Manager starts two daemons that are required to run on each standalone workstation. When Minitab 19 starts, it checks the Minitab License Manager service that is on the same workstation, regardless of network connectivity. An individual license file must be created for each workstation.

## Mixed configurations

You can use a combination of networked and standalone configurations. For example, you can install Minitab 19 on 20 workstations that are connected to the network and also install Minitab 19 on 5 standalone workstations that are not connected to the network.

For information on mixed installation configurations and license files, see [Number of license files](#) on page 10.

## Minitab License Manager

All multi-user installation configurations require the installation of the Minitab License Manager, the server software that manages the use of Minitab 19. Minitab License Manager ensures that the number of concurrent users does not exceed the licensed number of seats, based on the information in the license file.

Minitab License Manager starts its service automatically when you install it. However, you may need to restart the Minitab License Manager service in some cases, such as when you make changes to the license file or use an options file.

## To restart Minitab License Manager

1. Open a command prompt as an administrator and type *services.msc*.
2. Click **Minitab License Manager**.
3. Choose **Action > Restart**.

---

**Note** If you need to uninstall Minitab License Manager from a computer, such as when you change servers or installation configurations, you must first stop the license manager service. Follow steps 1 and 2 above; in step 3, choose **Action > Stop**. Then uninstall Minitab License Manager.

---



# License Files

License files are required for the installation of Minitab multi-user products. This section provides general background information on license files, including what they are, where they're created and stored, and how they're used. For instructions on how to work with license files after installation, see [License Manager Utility](#) on page 14.

## Using license files

### What is a license file?

A license file is a text file named minitab.lic. The file does not have a .txt extension, but you can open it in a standard text editor such as Notepad. The file contains information about the licenses that your organization purchased. This information includes the expiration date, the number of licenses, and the computer's MAC address.

After you create a license file at the Minitab multi-user licensing web pages, save it to the desktop of the computer on which you will install Minitab License Manager, the server software that manages the use of Minitab 19 based on the information in the license file.

### Sample license file

```
SERVER this_host 0A1B2C3D4E5F
VENDOR minitab
USE SERVER
INCREMENT Minitab Minitab 19 01-dec-2020 100 VENDOR_STRING="limited \
term, limited users, borrowing enabled" DUP_GROUP=UH \
ISSUER=Minitab ISSUED=01-dec-2018 BORROW=26280 \
NOTICE="Customer ID: 01234 License Coord ID: 56789 \
RENI01234" SN="STDORD56789 01234INC" START=01-dec-2018 \
SIGN="1c71 F7B8 641F 7A84 F052 9650 F5E6 B093 ACBC 04C4 AF4D \
5B3B 0F38 C3FB DF49 1720 F1BA D1CD 646D 4C9D 824B E7A9 F724 \
3EDA 9B09 5628 733F F646 AC87 6C39"
```

In the sample license file above, the terms in bold specify the following information:

#### **0A1B2C3D4E5F**

The unique MAC address of the computer for which this license file was created.

#### **Minitab 19**

The name of the product for which the license file was created.

#### **01-dec-2020**

The expiration date of the license file.

#### **100**

The number of users allowed to concurrently run the software.

Each license file is created for a single computer. The computer is identified in the license file by its MAC address. The license file cannot be used on a computer that does not have the MAC address specified in the license file.

## How license files are used

During the installation of Minitab License Manager, you need to provide the location of the license file. By default, the installation looks to the desktop for the license file and then creates a copy of the license file in C:\Program Files

(x86)\Minitab\License Manager. The Minitab License Manager service is then installed. The service reads the license files and then starts.

---

**Note** After you install Minitab License Manager, you can delete the license file that is on the desktop.

---

Authorized users can create license files at the Minitab multi-user licensing web pages. See [Create License File\(s\)](#) on page 5 for more information.

## Number of license files

You need one license file for each Minitab License Manager that you install. In a typical networked configuration, Minitab License Manager is installed on a single server. In this case, only one license file is needed. For example, Minitab License Manager is installed on a single server that will serve all 100 licenses. You need to create a single license file for all 100 seats.

You can also divide your licenses among multiple servers, if desired. For example, Minitab License Manager is installed on two servers, one for 75 users in Department A and the other for 25 users in Department B. This installation configuration requires two license files: one file for 75 seats and another file for 25 seats.

In a standalone configuration, Minitab License Manager must be installed on each workstation. As a result, a unique license file is required for each installation of Minitab License Manager. For example, a small computer training lab has 10 computers that are not networked. You need to install Minitab 19 and Minitab License Manager on all 10 computers. This installation configuration requires 10 license files, one for each computer.

You can have a combination of networked and standalone installations. You need to create a single license file for the server and a separate license file for each standalone workstation. For example, an organization purchases 100 licenses for Minitab 19. They want 10 standalone installations in the computer lab. A single server will host the remaining 90 licenses. This installation configuration requires 11 license files: one for the server and one for each of the 10 standalone workstations.

## Adding a second product or additional users to your license file

When you purchase both Minitab and Companion, you must initially create two separate license files at the multi-user licensing web pages, one for each product. However, to install both products, you need to merge the two license files into one file. After you download both license files, append the contents of one license file to the other license file.

You can also add additional users to your license, which also involves appending the contents of your new license file to the existing file.

## To append an additional product to a license file

You may need to be logged in as an administrator to perform the following steps.

1. At <https://it.minitab.com/support/licensing/multi-user/customer-entitlement-summary.aspx>, create a separate license file for the additional product.
2. Save the new license file to the desktop. Do not overwrite the existing license file in C:\Program Files (x86)\Minitab\License Manager.
3. Open the new license file for the additional product in Notepad.
4. Copy everything from the INCREMENT line down.
5. Close the license file that is on the desktop.

6. Open the original license file in C:\Program Files (x86)\Minitab\License Manager in Notepad.
7. Paste the copied contents of the new license file to the end of the original license file.
8. Choose **File > Save**.
9. Restart the Minitab License Manager service. See [To restart Minitab License Manager](#) on page 8 for more information.
10. To verify your change, double-click lmtools.exe in the installation directory (by default, C:\Program Files (x86)\Minitab\License Manager).
11. Click the **Server Status** tab.
12. Click **Perform Status Enquiry**.
13. In the results window, look for the line that includes Users of product where *product* = the Minitab product you added to your license.

## Example of a license file with appended product

```
SERVER this_host 0A1B2C3D4E5F
VENDOR minitab
USE_SERVER
INCREMENT Minitab minitab 19 01-dec-2020 50 VENDOR_STRING="limited \
term, limited users, borrowing enabled" DUP_GROUP=UH \
ISSUER=Minitab ISSUED=01-dec-2018 BORROW=26280 \
NOTICE="Customer ID: 01234 License Coord ID: 56789 \
RENI01234" SN="STDORD56789 01234INC" START=01-dec-2018 \
SIGN="1C71 F7B8 641F 7A84 F052 9650 F5E6 B093 ACBC 04C4 AF4D \
5B3B 0F38 C3FB DF49 1720 F1BA D1CD 646D 4C9D 824B E7A9 F724 \
3EDA 9B09 5628 733F F646 AC87 6C39"
INCREMENT companion minitab 5 01-dec-2020 8 VENDOR_STRING="limited \
term, limited users, borrowing enabled" DUP_GROUP=UH \
ISSUER=Minitab ISSUED=01-dec-2018 BORROW=26280 \
NOTICE="Customer ID: 01234 License Coord ID: 56789 \
RENI01234" SN="STDORD31415 01234INC" START=01-dec-2018 \
SIGN="1EA6 00D1 E785 EEA9 F026 63B5 BBA0 B8B0 CAB9 \
91CA A57A D123 D9DD 0372 A1CD 136F 12F4 ABCB EA0A 3AD9 A71F \
F014 7B78 A683 6EB2 FCC6 9685 0D66 6355 441C"
```

## To append additional users to a license file

You may need to be logged in as an administrator to perform the following steps.

1. At <https://it.minitab.com/support/licensing/multi-user/customer-entitlement-summary.aspx>, create a separate license file for the additional users.
2. Save the new license file to the desktop. Do not overwrite the existing license file in C:\Program Files (x86)\Minitab\License Manager.
3. Open the new license file for the additional users in Notepad.
4. Copy everything from the INCREMENT line down.
5. Close the license file that is on the desktop.
6. Open the original license file in C:\Program Files (x86)\Minitab\License Manager in Notepad.
7. Paste the copied contents of the new license file to the end of the original license file.
8. Choose **File > Save**.

9. Restart the Minitab License Manager service. See [To restart Minitab License Manager](#) on page 8 for more information.
10. To verify your change, double-click `lmtools.exe` in the installation directory (by default, `C:\Program Files (x86)\Minitab\License Manager`).
11. Click the **Server Status** tab.
12. Click **Perform Status Enquiry**.
13. In the results window, look for the line that includes `Total of x licenses issued` and confirm that `x` is equal to the total number of licenses (original + added).

## Example of a license file with appended users

```
SERVER this_host 0A1B2C3D4E5F
VENDOR minitab
USE SERVER
INCREMENT Minitab Minitab 19 01-dec-2020 100 VENDOR_STRING="limited \
term, limited users, borrowing enabled" DUP_GROUP=UH \
ISSUER=Minitab ISSUED=01-dec-2018 BORROW=26280 \
NOTICE="Customer ID: 01234 License Coord ID: 56789 \
RENI01234" SN="STDORD56789 01234INC" START=01-dec-2018 \
SIGN="1c71 F7B8 641F 7A84 F052 9650 F5E6 B093 ACBC 04C4 AF4D \
5B3B 0F38 C3FB DF49 1720 F1BA D1CD 646D 4C9D 824B E7A9 F724 \
3EDA 9B09 5628 733F F646 AC87 6C39"
INCREMENT Minitab Minitab 19 01-dec-2020 25 VENDOR_STRING="limited \
term, limited users, borrowing enabled" DUP_GROUP=UH \
ISSUER=Minitab ISSUED=01-dec-2018 BORROW=26280 \
NOTICE="Customer ID: 01234 License Coord ID: 56789 \
RENI01234" SN="STDORD31415 01234INC" START=01-dec-2018 \
SIGN="1c71 F7B8 641F 7A84 F052 9650 F5E6 B093 ACBC 04C4 AF4D \
5B3B 0F38 C3FB DF49 1720 F1BA D1CD 646D 4C9D 824B E7A9 F724 \
3EDA 9B09 5628 733F F646 AC87 6C39"
```

## Renewing licenses

To avoid "checkout failed" error messages that are caused by expired license files, renew your organization's Minitab 19 license before it expires.

1. Your organization's License Coordinator must purchase a new license for your organization.
2. An authorized user must log in and generate new license files at <https://it.minitab.com/support/licensing/multi-user/customer-entitlement-summary.aspx>. See [Step 3: Create license file\(s\)](#) on page 5 for more information about creating license files.
3. Replace the existing license file with the new license file in `C:\Program Files (x86)\Minitab\License Manager`.
4. Restart Minitab License Manager. See [To restart Minitab License Manager](#) on page 8 for more information.

---

**Note** License files are created with an expiration date. Minitab 19 will not start if the license is expired.

---

# Advanced Topics

## Installation options

- Choose the default language for Minitab 19.
- Choose a license type (single-user, multi-user, or trial).
- Optionally, change the destination folder. By default, Minitab 19 is installed to C:\Program Files\Minitab\Minitab 19.

## Checking for updates

Checking for updates is enabled by default. An automatic check occurs upon every launch of the product, and each user is able to manually check for updates at any time. You can set an optional property during deployment to disable checking for updates. See [To customize your deployment](#) on page 16 for additional details.

### To manually check for updates

1. Open Minitab 19.
2. Choose **Help** > **Check for Updates**.
3. If an update is available, follow the instructions to update your software.

### To disable checking for updates

1. Open a command prompt as an administrator and type *control appwiz.cpl*.
2. Select **Minitab 19** and then click **Uninstall/Change**.  
You might be prompted for an administrator password or confirmation.
3. In the **Minitab 19** Setup dialog box, select **Change**.
4. Uncheck **Enable checking for software updates**.
5. Click **Next**, and then click **Install**.

---

**Note** If you choose to remove or disable checking for updates, you will not be automatically informed of critical updates, bug fixes, or notifications of problems or errors.

---

## Changing license types

A valid license is required to use Minitab 19. There may be times when it is necessary to switch from one license type to another. For example, you change your license type when you switch from a trial license to a multi-user license utilizing a license server.

1. Open a command prompt as an administrator and type *control appwiz.cpl*.

2. Select **Minitab 19** and then click **Uninstall/Change**.  
You might be prompted for an administrator password or confirmation.
3. In the **Minitab 19** Setup dialog box, select **Change**.
4. Select **Change License Type**.
5. Click **Next** and enter the required licensing information.

## License manager utility

Flexera Software provides the `lmtools.exe` utility for performing license management tasks. This utility provides a graphical user interface to access all the license management tasks. To use `LMTOOLS`, navigate to the license manager installation folder (`C:\Program Files (x86)\Minitab\License Manager` by default) and double-click `lmtools.exe`.

For more information on `LMTOOLS`, refer to the [FlexNet Publisher License Administration Guide](#) distributed by Flexera Software LLC.

You can use this utility to check the status of Minitab License Manager and to help you monitor network licensing activities, such as the number of licenses in use and who is using them. You can also review configuration settings. See [Check Minitab License Manager status and settings](#) on page 23 for more information.

## Specifying ports

Minitab 19 uses two ports for communication between the workstation and the server: the license manager (`lmgrd.exe`) port and the vendor daemon (`minitab.exe`) port. You can modify the license file to specify which port numbers Minitab 19 should use.

Specifying ports manually is useful when you need to identify them as open ports on firewalls. When communication appears to be blocked, configure these open ports on any firewall on or between the workstation and server, including software firewalls such as Windows firewall. See [FLEXnet error 96](#) on page 25 for more information.

You can specify both the license manager and vendor daemon ports in the same license file. Make a backup of your license file before you edit it.

### To specify a license manager port

The license manager (`lmgrd.exe`) automatically chooses the first available port between 27000 and 27009 each time the Minitab License Manager service starts. You can set this port number to a permanent value.

You may need to be logged in as an administrator to perform the following steps.

1. Open the license file in `C:\Program Files (x86)\Minitab\License Manager` in Notepad.
2. Type the port number after the MAC address on the first line. Leave a space between the MAC address and port number, as shown in the example below step 7.
3. Save the file.
4. Restart the Minitab License Manager service to re-read the license file. See [To restart Minitab License Manager](#) on page 8.
5. To verify your change, open the Minitab License Manager log file, `minitab.dl`, which is located at `C:\Programdata\Minitab\License Manager`, in Notepad.

6. Locate the line that includes `lmgrd tcp-port`.
7. Make sure that the port number on this line is correct. For example, `lmgrd tcp-port 27001`.

Example of license file with specified license manager port of 27001:

```
SERVER this_host 0A1B2C3D4E5F 27001
VENDOR minitab
USE_SERVER
INCREMENT Minitab minitab 19 01-dec-2020 100 VENDOR_STRING="limited \
term, limited users, borrowing enabled" DUP_GROUP=UH \
ISSUER=Minitab ISSUED=01-dec-2018 BORROW=26280 \
NOTICE="Customer ID: 01234 License Coord ID: 56789 \
RENI01234" SN="STDORD56789 01234INC" START=01-dec-2018 \
SIGN="1C71 F7B8 641F 7A84 F052 9650 F5E6 B093 ACBC 04C4 AF4D \
5B3B 0F38 C3FB DF49 1720 F1BA D1CD 646D 4C9D 824B E7A9 F724 \
3EDA 9B09 5628 733F F646 AC87 6C39"
```

## To specify a vendor daemon port

The vendor daemon (`minitab.exe`) port is dynamically assigned from a wide range of port numbers each time the Minitab License Manager service starts. You can set this port number to a permanent value.

You may need to be logged in as an administrator to perform the following steps.

1. Open the license file in `C:\Program Files (x86)\Minitab\License Manager` in Notepad.
2. Type `port=` and the port number at the end of the second line ("`port`" is case-sensitive). Leave a space between `minitab` and `port=`.
3. Save the file.
4. Restart the Minitab License Manager service to re-read the license file. See [To restart Minitab License Manager](#) on page 8.
5. To verify your change, open the Minitab License Manager log file, `minitab.dl`, which is located at `C:\Programdata\Minitab\License Manager`, in Notepad.
6. Locate the line that includes `minitab using TCP-port`.
7. Make sure that the port number on this line is correct. For example, `minitab using TCP=port 3000`.

Example of license file with specified vendor daemon port of 3000:

```
SERVER this_host 0A1B2C3D4E5F
VENDOR minitab port=3000
USE_SERVER
INCREMENT Minitab minitab 19 01-dec-2020 100 VENDOR_STRING="limited \
term, limited users, borrowing enabled" DUP_GROUP=UH \
ISSUER=Minitab ISSUED=01-dec-2018 BORROW=26280 \
NOTICE="Customer ID: 01234 License Coord ID: 56789 \
RENI01234" SN="STDORD56789 01234INC" START=01-dec-2018 \
SIGN="1C71 F7B8 641F 7A84 F052 9650 F5E6 B093 ACBC 04C4 AF4D \
```

## Options file

You can use the options file to control various license system options for the Minitab License Manager, such as reserving or excluding licenses for a person or group.

## To use an options file

You may need to be logged in as an administrator to perform the following steps.

1. Open a new file in Notepad.
2. Type your settings with the appropriate syntax, as documented in the [FlexNet Publisher License Administration Guide](#) distributed by Flexera Software LLC. See the bottom of this topic for an example options file.
3. Choose **File** > **Save As** and browse to the same folder as minitab.lic (C:\Program Files (x86)\Minitab\License Manager).
4. In **File name**, type *minitab.opt*.
5. In **Save as Type**, choose **All Files**.
6. Click **Save**.
7. Restart the Minitab License Manager service. See [To restart Minitab License Manager](#) on page 8.
8. To verify that the options file is successfully implemented, open the Minitab License Manager log file, minitab.dl, at C:\Programdata\Minitab\License Manager, in Notepad.
9. Locate the line that includes `Using options file:<path_to_options_file>`. If this text is present, the options file has been successfully implemented.

If a minitab.opt is present, the Minitab License Manager service reads it and implements the settings in the file.

In the following example of an options file, line 1 prevents the user "tjones" from using Minitab. Line 2 prevents the same user from using Companion. Line 3 creates a group named "quality" and defines members of that group. Line 4 reserves three licenses for the quality group. Line 5 specifies that 5 licenses cannot be borrowed.

```
EXCLUDE Minitab USER tjones
EXCLUDE companion USER tjones
GROUP quality jsmith bmiller awilson
RESERVE 3 minitab GROUP quality
BORROW_LOWWATER minitab 5
```

## Command line installation

You can use the command line to install Minitab 19 on the client computer. To do so, you must specify the license information for each installation using the appropriate command line syntax.

## To customize your deployment

The following tables outline properties and switches that can be used for command line or mass deployment to your end-users.



## EXE Switch Table

Command Line Switch	Accepted Values	Description
/exelang	1031 1033 1034 1036 1041 1042 1046 2052	Specify the default language of the installation and application. If language is not specified, the installer will use your system regional settings for the default language, or default to English if a match is not found. 1031=German 1033=English 1034=Spanish 1036=French 1041=Japanese 1042=Korean 1046=Portuguese 2052=Simplified Chinese
/exenoui		Required for a silent install. Use with appropriate MSI switch for modified end-user experience (e.g., /qn, /qb, /passive).

## MSI Switch Table (Common)

Command Line Switch	Description
/passive	Basic user interface, progress bar only
/qn	Quiet, no user interface
/qb	Basic user interface, the <b>Cancel</b> button will be active during installation
/qr	Reduced user interface, the <b>Cancel</b> button will be active during installation

## Property Table

Property	Accepted Values	Description
APPDIR		Specify a custom installation directory.
ACCEPT_EULA	1	Required property. By specifying a value for this property, you accept the terms of the <a href="#">end-user license agreement and privacy policy</a> .
LICENSE_SERVER	server name or IP address	For use with a multi-user license to specify the server that hosts Minitab License Manager. <ul style="list-style-type: none"> <li>Not compatible with PRODUCT_KEY or FILE_LOC.</li> </ul>
LICENSE_SERVER_PORT	27000 to 27009	For use with a multi-user license to <i>optionally</i> specify the listening port for the Minitab License Manager server.

Property	Accepted Values	Description
PRODUCT_KEY	18-digit Product Key	<p>Single-user licenses can be <i>optionally</i> activated by specifying a Product Key. Without specifying a product key, a 30-day trial will be installed.</p> <ul style="list-style-type: none"><li>• Not compatible with LICENSE_SERVER or FILE_LOC.</li></ul>
FILE_LOC	Fully qualified path to license file, including filename	<p>An alternative license mechanism using a file. Not intended for use with a standalone license configuration utilizing the Minitab License Manager.</p> <ul style="list-style-type: none"><li>• Not compatible with LICENSE_SERVER, LICENSE_SERVER_PORT, or PRODUCT_KEY.</li><li>• Corresponds to the location of your minitab.lic file.</li></ul>

Property	Accepted Values	Description
DISABLE_ANALYTICS	0 or 1	<p>With consent, Minitab collects application analytics to help us better understand our customers' needs. Examples of application analytics include:</p> <ul style="list-style-type: none"> <li>• Product information, including the types of files that are imported, the types and frequency of tools and commands, project characteristics, such as the amount of data and number of worksheets, and the frequency and duration of use.</li> <li>• Performance information about Minitab products and/or services and any issues you may experience while using them.</li> </ul> <p>Note: Minitab does not collect any user-entered data or statistical results.</p> <p><b>Settings:</b></p> <ul style="list-style-type: none"> <li>• To enable application analytics, enter 0</li> <li>• To disable application analytics, enter 1</li> </ul> <p>If you do not enter a value for this property now, you can do it later when you launch the application. If you are deploying software on behalf of your end users, these settings will apply to their installations:</p> <ul style="list-style-type: none"> <li>• 0 allows the end user to enable or disable application analytics on their computer</li> <li>• 1 automatically disables application analytics for all end users</li> </ul> <p>Note: These settings do not prevent Minitab from collecting other types of data from its websites and products, such as data necessary for managing licenses or accessing online Help. For more information, view our <a href="#">Privacy Policy</a>.</p>

Property	Accepted Values	Description
ProductLanguage	1031 1033 1034 1036 1041 1042 1046 2052	Specify the default language of the installation and application. This property can only be set within the Minitab 19 group policy file. Refer to EXE Switch Table for additional language options. 1031=German 1033=English 1034=Spanish 1036=French 1041=Japanese 1042=Korean 1046=Portuguese 2052=Simplified Chinese
DISABLE_UPDATES	1	When you specify a value for this property, you turn off the ability to check for software updates. Disabling this option prevents automatic and manual checks from occurring. We recommend that you enable this option on at least one computer.

## Command Line Details

1. You must use the /exenoui switch when you use /qn, /qb, or /passive.
2. Verify that command line switches are in correct order.
  - EXE switches must precede MSI switches.
  - MSI switches must precede MSI properties.
3. If you do not specify licensing properties (PRODUCT\_KEY, LICENSE\_SERVER, or FILE\_LOC), a 30-day trial will be installed.
4. If you have a previous version of Minitab 19 installed, the existing values will be used for APPDIR, LICENSE\_SERVER, LICENSE\_SERVER\_PORT, and PRODUCT\_KEY, if they are not specified during the upgrade.

## Required Syntax

minitab19.x.x.setup.xXX.exe [EXE Switch Table] [MSI Switch Table] [Property Table]

When deploying Minitab, be sure to reference the setup file or the group policy file specific to the operating system.

### 64-bit syntax

minitab19.x.x.setup.x64.exe

minitab19.x.x.setup.GroupPolicy.x64.msi

### 32-bit syntax

minitab19.x.x.setup.x86.exe

minitab19.x.x.setup.GroupPolicy.x86.msi

## Examples

**Note** The following examples do not contain line breaks.

**Install silently, English default language, and multi-user license:**

```
minitab19.x.x.setup.xXX.exe /exenoui /exelang 1033 /qn ACCEPT_EULA=1 LICENSE_SERVER=MyServerName
```

**Install silently, English default language, and license file:**

```
minitab19.x.x.setup.xXX.exe /exenoui /exelang 1033 /qn ACCEPT_EULA=1 FILE_LOC="c:\minitab.lic"
```

**Install silently, Simplified Chinese default language, multi-user license setting server and port, and checking for updates disabled:**

```
minitab19.x.x.setup.xXX.exe /exenoui /exelang 2052 /qn ACCEPT_EULA=1 LICENSE_SERVER=MyServerName  
LICENSE_SERVER_PORT=27000 DISABLE_UPDATES=1
```

**Install silently, Portuguese default language, single-user license with product key, and custom installation directory:**

```
minitab19.x.x.setup.xXX.exe /exenoui /exelang 1046 /qn ACCEPT_EULA=1 PRODUCT_KEY=123456789012345678  
APPDIR="c:\New Minitab 19"
```

**Install silently, German default language, and single-user license 30-day trial:**

```
minitab19.x.x.setup.xXX.exe /exenoui /exelang 1031 /qn ACCEPT_EULA=1
```

**Upgrade Minitab 19 silently:**

```
minitab19.x.x.setup.xXX.exe /exenoui /qn ACCEPT_EULA=1
```

**Uninstall silently using the Minitab 19 product code:**

```
msiexec /x {Product Code} /qn
```

64-bit Product Code Registry Location:

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall\Minitab 19 19.x.x.x]
```

32-bit Product Code Registry Location:

```
[HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\Minitab 19  
19.x.x.x]
```

String: UninstallPath

## Group policy usage

The MSIs in the GroupPolicy folder of the Mass Deployment Package should be used only for Group Policy deployment methods. Use the Group Policy MSIs in conjunction with repackaging tools to ensure that Properties are set correctly for the required configuration.

- To install Minitab 19 with English as the default language, use minitab19.x.x.setupGroupPolicyXXX.English.msi.
- To install Minitab 19 with a non-English default language, use minitab19.x.x.setupGroupPolicyXXX.MultiLanguage.msi.

The ProductLanguage Property must be set to a supported language value. For a list of supported language values, refer to the Property table.

## Identical settings on multiple computers

To ensure that multiple computers have identical Minitab 19 settings, you can use **File > Manage Profiles** to create and export a preinstall profile as a registry file named OrgDefs.reg and include it with the installation files.

This process requires that you open Minitab with its original (unmodified) profile settings. Therefore, it is recommended that you log in to your computer as a user that has not previously modified Minitab profile settings.

## To implement a preinstall profile

1. Open Minitab on a computer that does not have any modified profile settings. If you are unsure whether the profile settings have been modified, open Minitab using an administrator account that has not previously been used to open Minitab.
2. Adjust any settings that you want to share on multiple computers.
3. Choose **File > Manage Profiles**.
4. Click the arrow to move MyProfile from **Active profiles** to **Available profiles**. (To be exported, profiles must be under **Available profiles**.)
5. With the profile selected, click **Export**.
6. In **Save In**, browse to the save location.
7. In **File name**, rename MyProfile to OrgDefs.reg. Click **Save**.
8. You need to deploy OrgDefs.reg to the user's C:\Program Files\Minitab\Minitab19\Language\Profiles folder.

---

**Note** You must copy or deploy a custom profile to each user's Minitab 19\Language\Profiles folder after installing but before opening Minitab for the first time. The Program Files (x86) folder is protected. If you have installed Minitab to this protected area (which is the default), the profile must be copied to the Minitab 19\Language\Profiles folder by a user with administrative privileges for all system users to have access to it.

---

When a user opens Minitab for the first time, the file is imported. The imported profile is named \$\$OrganizationDefaults.

# Troubleshooting

This section provides information for troubleshooting problems related to licensing and installing Minitab products.

## Log files

You can generate log files to use for troubleshooting with both Minitab 19 and Minitab License Manager.

### Installation log file

An installation log file can be created by utilizing the following command: `Minitab19.x.x.setup.exe /exenoui /qn /l*v c:\Install.log ACCEPT_EULA=1 LICENSE_SERVER=MyServerName`

The installation log file contains information such as the time and date of installation and the folder to which the software was installed.

### Minitab License Manager log file

Minitab License Manager is the server software that controls the use of your license. It generates a log file that is updated with events, such as license check-ins, check-outs, and error messages. By default, the log file is named `Minitab.dl` and is located at `C:\Programdata\Minitab\LicenseManager`.

To read the Minitab License Manager log file, open it in Notepad.

---

**Note** For detailed information on the Minitab License Manager log file, refer to the [FlexNet Publisher License Administration Guide](#) distributed by Flexera Software LLC.

---

## Check Minitab License Manager status and settings

You can check the status of Minitab License Manager to help you monitor network licensing activities, such as the number of licenses in use and who is using them. You can also review configuration settings.

1. Navigate to the Minitab License Manager folder (by default, at `C:\Program Files (x86)\Minitab\License Manager`).
2. Double-click `lmtools.exe`.
3. Do any of the following:

- To check server status, click the **Server Status** tab. Click **Perform Status Enquiry**.
- To check server configuration, click the **Config Services** tab.
- To check license information, click the **Server Diags** tab. Click **Perform Diagnostics**.

The number of licenses are listed, as shown in this example:

```
Users of Minitab: (Total of 50 licenses used; Total of 33 licenses in use)
```

Specific details about each license are also listed:

```
jsmith LAB_PCLAB_PC (v1.0) (LAB_PC/27000 302), start Fri 3/1 4:15
```

`jsmith` is the user name, `LAB_PC` is the computer name, and `27000` is the license manager port

Borrowed licences display the expiration in seconds. For example, the license below will expire in 314159 seconds:

```
jsmith LAB_PCLAB_PC (v1.0) (LAB_PC/27000 302), start Fri 3/1 4:15 (linger: 314159)
```

## FLEXnet license errors

You may encounter several types of FLEXnet error messages that indicate that you cannot check out a license. These messages are formatted in general as follows:

```
FLEXNET License Error Number: Error text.
```

For example:

```
FLEXNET License Error -97-121-0: Check out failed
```

Some of the errors that you may encounter are listed below. For a complete list of possible error codes, see the [FlexNet Publisher License Administration Guide](#).

### FLEXnet error 15

Possible cause	Explanation
The server name that was provided during the installation of Minitab 19 on the client computer is not valid.	The server name that was provided during the installation of Minitab 19 on the client computer is used to locate that server on the network. Make sure that the server name is valid. For instructions on locating the server name, see <a href="https://support.minitab.com/installation/frequently-asked-questions/minitab-license-manager/change-default-location-where-minitab-companion-look-for-license-manager/">https://support.minitab.com/installation/frequently-asked-questions/minitab-license-manager/change-default-location-where-minitab-companion-look-for-license-manager/</a> .

### FLEXnet error 25

Possible cause	Explanation
You are using Minitab 19 with an invalid license file.	The license file that is managed by Minitab License Manager supports some other Minitab product. To resolve this, you need to create a new license file for Minitab 19.

### FLEXnet error 34

Possible cause	Explanation
The date differs in excess of 24 hours between the client computer and the Minitab License Manager server.	If the date difference is greater than 24 hours, Minitab License Manager will refuse to grant the license. Reset the clock on the client computer.

### FLEXnet error 92

Possible cause	Explanation
The MAC address in the license file does not match the MAC address of the Minitab License Manager server.	The MAC address in the license file must match the MAC address of an enabled network adapter on Minitab License Manager. See <a href="#">License Files</a> on page 9 for more information.



## FLEXnet error 68

Possible cause	Explanation
The license file is not configured to allow for borrowing.	Not all licenses are borrow-enabled. Borrow-enabled licenses will have "borrow-enabled" within the text of the license file.

## FLEXnet error 95

Possible cause	Explanation
You are browsing to a license file in a standalone configuration.	Your license type may not support this method. In the Find License dialog box, instead of choosing <b>Specify the License File</b> , choose <b>Specify the License Server System</b> . Type the server name. For example, type <i>@localhost</i> .

## FLEXnet error 96

Possible cause	Explanation
Firewalls or network configurations are blocking communications between the client computer and the Minitab License Manager server.	The client computer must be able to communicate with the Minitab License Manager server over two ports: the Minitab License Manager (lmgrd.exe) port and the minitab vendor daemon (minitab.exe) port. You can use telnet to test communications. See the <a href="#">Minitab License Manager log file</a> on page 23 to determine which port numbers are used. See <a href="#">Specifying ports</a> on page 14 to manually configure ports.
The Minitab License Manager service is not running on the license server.	The Minitab License Manager service must be running to process license requests for Minitab 19.

## FLEXnet error 97

Possible cause	Explanation
The MAC address in the license file does not match the MAC address of the Minitab License Manager server.	The MAC address in the license file must match the MAC address of an enabled network adapter on Minitab License Manager. See <a href="#">License Files</a> on page 9 for more information.
The license expired.	The expiration date for your license is specified in the license file. Minitab 19 is not usable after the expiration date. See <a href="#">License Files</a> on page 9 for more information.
The network adaptor on the Minitab License Manager server is disabled.	The network adaptor card must be enabled for the Minitab License Manager server to verify the MAC address. Without this, Minitab 19 cannot start. This issue is most commonly encountered with laptop computers that may change the status of a network card under various conditions.
The license file was modified.	You can make a few valid changes to the license file, such as specifying a port number. Most other changes will corrupt the license file, making it unusable to Minitab License Manager.

Possible cause	Explanation
The date is incorrect on the computer that runs Minitab License Manager software.	Minitab installations are sensitive to the computer's date.
Minitab License Manager is installed to C:\FlexLM\Minitab.	Minitab License Manager should not be installed to this directory. Uninstall Minitab License Manager and install to a different directory.
The Minitab License Manager service is not running on the license server.	The Minitab License Manager service must be running to provide license requests for Minitab 19.
Minitab License Manager is using a different communication port than expected.	Multiple FLEXlm license managers may be running on this server, which caused the Minitab License Manager to use a different port. See <a href="#">To specify a license manager port</a> on page 14 to manually configure ports.

## FLEXnet error 104

Possible cause	Explanation
You attempt to borrow a license that is past either the expiration date in the license file or a set limit in the options file.	You cannot borrow a license that is past the expiration date of the license file. If the specified end date for borrowing is before the expiration date, the options file may contain limits on borrowing. See <a href="#">Options file</a> on page 15 for more information.

## Minitab License Manager fails to start

If the Minitab License Manager service fails to start, you may see the following error message:

The Minitab License Manager service on Local Computer started and then stopped. Some services stop automatically if they have no work to do, for example, the Performance Logs and Alerts Services.

Use the following table to troubleshoot the problem:

Possible cause	Explanation
The license file (minitab.lic) is not in the Minitab License Manager installation directory.	Minitab License Manager browses to C:\Program Files (x86)\Minitab\License Manager for the license file. Ensure that minitab.lic is at this location.
The license file is not named correctly.	The license file must be named "minitab.lic" (unless this default value was modified later). Make sure that the file is not named minitab.lic.txt (a common mistake). Confirm that the file does not end with .txt. Right-click the file, choose <b>Properties</b> , and verify that <b>Type of file</b> is <b>License</b> and not <b>Text Document</b> .
Extra text is in the license file.	Some text editors, such as WordPad, may add unwanted content to your file. See <a href="#">Sample license file</a> on page 9 for an example of a license file with no unnecessary text. Open the file in Notepad.

Possible cause	Explanation
Minitab License Manager does not have permission to write the log file (minitab.dl) to the directory specified in the Config Services tab of LMTOOLS.	By default, Minitab License Manager creates minitab.dl in C:\Programdata\Minitab\License Manager. You can specify a different directory with LMTOOLS (lmtools.exe). Make sure that the account that runs the Minitab License Manager service has write access to this directory.
Minitab License Manager server has non-ANSI characters in its name.	For best results, install Minitab License Manager to a computer with only ANSI characters in its name.

## Web site errors

### Access Denied

If you try to log in to the Minitab multi-user license management web pages and you are not an authorized user, the Access Denied error message may appear. For more information, see [Step 1: Designate authorized users of multi-user licensing web pages](#) on page 4.

### Unable to Proceed: Entitlements Not Available

If you log in to the multi-user license management web pages to create license files and there are no valid orders for your organization, the message `Unable to Proceed: Entitlements Not Available` appears. Contact your Minitab Sales Representative.

## Online resources

The following online resources are available:

- Troubleshooting solutions at <https://support.minitab.com/installation/>
- The latest downloads for Minitab multi-user products at <https://www.minitab.com/downloads/>
- The latest documentation for Minitab multi-user products at <https://www.minitab.com/support/documentation/>
- The FlexNet Publisher License Administration Guide at <https://www.minitab.com/uploadedFiles/Documents/license-management/FlexNetLicenseAdminGuide.pdf>

# Index

## A

administrative installation 16  
authorized users of web pages 4

## B

borrowing a license 7

## C

checking for updates 13  
command line installation 16  
configuration file 16  
creating license files 5  
custom profiles 21

## D

debug file 27  
deployment 16  
documentation  
  online 27  
downloads  
  online 27

## E

expired license 25

## F

firewalls 25  
FLEXnet license errors 24

## G

group policy usage 21

## I

installation  
  configuration 4  
  configuration file 16  
  quick start 4  
  troubleshooting 23

## L

license coordinator 4  
license file  
  creating 5

troubleshooting 26  
license files 9  
license type  
  change 13  
LMTTOOLS 14, 23  
log files 23  
  Minitab License Manager log file 23

## M

MAC address 5  
Minitab License Coordinator 4  
Minitab License Manager 8  
  administrative tools and procedures 14  
  checking status 23  
  troubleshooting 23  
  utility 14  
minitab.dl 27  
minitab.lic 9  
multi-user licensing 4  
multi-user licensing web pages 4, 5

## N

network adaptor 25  
networked configuration 7

## O

online resources 27  
options file 15  
OrgDefs.reg 22

## P

ports 14  
  license manager 14  
  vendor daemon 15  
profiles 21

## R

renewing licenses 12

## S

settings repeated on multiple computers 21  
single-user licensing 4  
software updates 13  
standalone configuration 8  
system requirements 6

## T

troubleshooting  
  debug file 27  
  expired license 25  
  FLEXnet license errors 24  
  installation 23  
  license file 26  
  Minitab License Manager 23, 26  
  minitab.dl 27  
  network adaptor 25

## U

updates 13